IMMUNOLOGY

CONTENTS

Vol. 70 No. 1 May 1990

D. MASON, I. MACPHEE & F. ANTONI: The role of the neuroendocrine system in determining genetic susceptibility to experimental allergic encephalomyelitis in the rat 1

N. J. SCOLDING, J. JONES, D. A. S. COMPSTON & B. P. MORGAN: Oligodendrocyte susceptibility to injury by T-cell perforin 6

G. MAYRHOFER & L. D. J. SPARGO: Distribution of class II major histocompatability antigens in enterocytes of the rat jejunum and their association with organelles of the endocytic pathway 11

P. G. TOYE, N. D. MACHUGH, A. M. BENSAID, S. ALBERTI, A. J. TEALE & W. I. MORRISON: Transfection into mouse L cells of genes encoding two serologically and functionally distinct bovine class I MHC molecules from a MHC-homozygous animal: evidence for a second class I locus in cattle 20

B. M. DUTIA, J. HOPKINS, M. P. ALLINGTON, R. BUJDOSO & I. MCCONNELL: Characterization of monoclonal antibodies specific for α- and β-chains of sheep MHC class II 27

A. AYALA, M. M. PERRIN & I. H. CHAUDRY: Defective macrophage antigen presentation following haemorrhage is associated with the loss of MHC class II (Ia) antigens 33

P. PAVLI, C. E. WOODHAMS, W. F. DOE & D. A. HUME: Isolation and characterization of antigen-presenting dendritic cells from the mouse intestinal lamina propria 40

B. C. BARNETT, I. HARTLMAYR, C. M. GRAHAM & D. B. THOMAS: Single amino acid residues in a synthetic peptide of influenza haemagglutinin, HA 1 177-199, distinguish I-A^d- and I-E^d-restricted T-cell epitopes 48

R. A. JONES, S. J. RICHARDS, B. E. ROBERTS, J. A. CHILD & S. C. SCOTT: Phenotypic switch from $CD45RA^+$ to $CD45RA^-$ by normal blood T cells is associated with increased HLA-ABC expression for $CD4^+$ and $CD8^+$ populations but not for the NK-associated $CD4^-CD8^{dim+}$ or $CD4^-CD8^-$ fractions 55

Y. YOSHIKAI, G. MATSUZAKI, T. INOUE & K. NOMOTO: An increase in number of T-cell receptor γ/δ-bearing T cells in athymic nude mice treated with complete Freund's adjuvants 61

D. I. GODFREY, D. J. IZON, C. L. TUČEK, T. J. WILSON & R. L. BOYD: The phenotype heterogeneity of mouse thymic stromal cells 66

M. PETERSEN, R. STEADMAN, M. B. HALLETT, N. MATTHEWS & J. D. WILLIAMS: Zymosan-induced leukotriene B_4 generation by human neutrophils is augmented by rhTNF-α but not chemotactic peptide 75

Y. H. ATKINSON, A. W. MURRAY, S. KRILIS, M. A. VADAS & A. F. LOPEZ: Human tumour necrosis factor-alpha (TNF-α) directly stimulates arachidonic acid release in human neutrophils 82

I. OHNO, Y. TANNO, K. YAMAUCHI & T. TAKISHIMA: Gene expression and production of tumour necrosis factor by a rat basophilic leukaemia cell line (RBL-2H3) with IgE receptor triggering 88

C. L. Y. LEE, S. H. S. LEE, F. T. JAY & K. R. ROZEE: Immunobiological study of interferon-gamma-producing cells after staphylococcal enterotoxin B stimulation 94

T. YOKOI, T. MIYAWAKI, A. YACHIE, K. KATO, Y. KASAHARA & N. TANIGUCHI: Epstein–Barr virus-immortalized B cells produce IL-6 as an autocrine growth factor 100

S. C. CHOW & M. JONDAL: A central role for phosphoinositide hydrolysis in activating the lytic mechanism of human natural killer cells 106

H. UMEHARA & E. T. BLOOM: The IL-2 receptor beta subunit is absolutely required for mediating the IL-2-induced activation of NK activity and proliferative activity of human large granular lymphocytes 111

T.-Y. CHAO, H. OHNISHI & T. M. CHU: Indirect inhibition of generation of murine lymphokine-activated killer cell activity in splenocyte cultures by interferon-gamma 116

M. A. THAPAR, E. L. PARR & M. B. PARR: Secretory immune responses in mouse vaginal fluid after pelvic, parenteral or vaginal immunization 121

M. S. CARLISLE, D. D. MCGREGOR & J. A. APPLETON: The role of mucus in antibody-mediated rapid expulsion of *Trichinella spiralis* in suckling rats 126

Brief communications

R. STEADMAN, M. M. PETERSEN, D. WILLIAMS, N. MATTHEWS & J. D. WILLIAMS: The selective augmentation by recombinant human tumour necrosis factor-alpha of neutrophil responses to pathogenic *Escherichia coli* 133

M. LIPOLDOVÁ & V. HOLÁŇ: Expression of genes for interleukin-α and tumour necrosis factor-α in newborn mice 136

Announcement 138

Vol. 70 No. 2 June 1990

A. E. E. AHMED, J. VEITCH & K. WHALEY: Mechanism of action of an inhibitor of complement-mediated prevention of immune precipitation 139

M. NOSE, M. KATOH, N. OKADA, M. KYOGOKU & H. OKADA: Tissue distribution of HRF20, a novel factor preventing the membrane attack of homologous complement, and its predominant expression on endothelial cells *in vivo* 145

M. J. DEMARES & C. DAVRINCHE: Prevalence of the 1·8 kb complement factor H mRNA in human lung 150

D. F. J. PURCELL, I. F. C. MCKENZIE, D. M. LUBLIN, P. M. JOHNSON, J. P. ATKINSON, T. J. OGLESBY & N. J. DEACON: The human cell-surface glycoproteins HuLy-m5, membrane co-factor protein (MCP) of the complement system, and trophoblast leucocyte-common (TLX) antigen, are CD46 155

J. E. CALVERT, R. JOHNSTONE, M. F. DUGGAN-KEEN & P. BIRD: Immunoglobulin G subclasses secreted by human B cells *in vitro* in response to interleukin-2 and polyclonal activators 162

M. E. DEVEY, K. M. BLEASDALE-BARR, P. BIRD & P. L. AMLOT: Antibodies of different human IgG subclasses show distinct patterns of affinity maturation after immunization with keyhole limpet haemocyanin 168

S. KASTURI, L. M. S. RUDRAMMAJI & T. V. GOWDA: Antibodies to a phospholipase A_2 from *Vipera russelli* selectively neutralize venom neurotoxicity 175

R. K. VIJAYAKUMAR & V. R. MUTHUKKARUPPAN: Analysis of carrageenan-induced suppression of antibody response 181

H. OKAMOTO, C. OH & K. NAKANO: Possible involvement of adenosine 3′:5′-cyclic monophosphate and extracellular calcium ions in histamine stimulation of interleukin-1 release from macrophage-like P388D1 cells 186

P. EGAN & C. CHEERS: Relationship between colony-stimulating activity and interferon production during infection 191

S. P. E. SYLVAN & U. B. HELLSTRÖM: HBsAg-induced interferon-gamma secretion in T cells form asymptomatic HBsAg carriers and HB-immune donors *in vitro* 197

J. E. HARVEY & D. B. JONES: Distribution of LCA protein subspecies and the cellular adhesion molecules LFA-1, ICAM-1 and p150,95 within human foetal thymus 203

C. SOMOZA, E. FERNÁNDEZ-RUIZ, A. REBOLLO, E. SANZ, F. RAMÍREZ & A. SILVA: OX48, a monoclonal antibody against a 70,000 MW rat activation antigen expressed by T cells bearing the high-affinity interleukin-2 receptor 210

S. OHGA, Y. YOSHIKAI, K. KISHIHARA, G. MATSUZAKI, M. OGIMOTO & K. NOMOTO: Different expression of T-cell receptor β-chain variable region genes in lymph nodes of lpr mice with different alleles of the major histocompatibility complex 216

R. M. PEMBERTON, D. C. WRAITH & B. A. ASKONAS: Influenza peptide-induced self-lysis and down-regulation of cloned cytotoxic T cells 223

E. O. GREGG, L. YARWOOD, M. J. WAGSTAFFE, D. S. PEPPER & M. C. MACDONALD: Immunomodulatory properties of platelet factor 4: prevention of concanavalin A suppressor-induction *in vitro* and augmentation of an antigen-specific delayed-type hypersensitivity response *in vivo* 230

D. A. WITHERDEN, W. G. KIMPTON, E. A. WASHINGTON & R. N. P. CAHILL: Non-random migration of $CD4^+$, $CD8^+$and $\gamma\delta^+T19^+$ lymphocytes through peripheral lymph nodes 235

T. J. WILSON & R. L. BOYD: Cyclophosphamide- and testosterone-induced alteration in chicken bursal stroma identified by monoclonal antibodies 241

C. E. HORMAECHE, P. MASTROENI, A. ARENA, J. UDDIN & H. S. JOYSEY: T cells do not mediate the initial suppression of a salmonella infection in the RES 247

R. MOQBEL, G. M. WALSH, T. NAGAKURA, A. J. MACDONALD, A. J. WARDLAW, Y. IIKURA & A. B. KAY: The effect of platelet-activating factor on IgE binding to, and IgE-dependent biological properties of, human eosinophils 251

D. RIEDEL, A. LINDEMANN, M. BRACH, R. MERTELSMANN & F. HERRMANN: Granulocyte–macrophage colony-stimulating factor and interleukin-3 induce surface expression of interleukin-2 receptor p55-chain and CD4 by human eosinophils 258

A. YAMASHITA, Y. HATTORI, M. KOTANI, M. MIYASAKA & T. FUKUMOTO: A novel monoclonal antibody, Mar 1, directed specifically against mononuclear phagocyte system cells in rats 262

H. HONDA, H. KIMURA & A. ROSTAMI: Demonstration and phenotypic characterization of resident macrophages in rat skeletal muscle 272

Book reviews 278

Vol. 70 No. 3 July 1990

I. MALAN BOREL, T. GENTILE, J. ANGELUCCI, R. A. MARGNI & R. A. BINAGHI: Asymmetric Fab glycosylation in guinea-pig IgG1 and IgG2 281

S. SRIKUMARAN, D. V. ONISK, M. V. BORCA, C. NATARAJ & T. J. ZAMB: Anti-idiotypic antibodies induce neutralizing antibodies to bovine herpesvirus 1 284

R. J. A. M. SPECHT GRIJP-GLANDORF, E. DE HEER, C. C. E. M. DEKKER-NOOREN, M. R. DAHA & L. A. VAN ES: Specificity and cross-reactive idiotypes of anti-gp330 autoantibodies in active Heymann nephritis 290

J. GONZÁLEZ-CABRERO, J. EGIDO, A. BARAT & E. GONZÁLEZ: Detection and characterization of circulating and glomerular immune complexes in experimental IgA nephropathy 296

G. P. SANDILANDS, A. E. E. AHMED, M. R. GRIFFITHS & K. WHALEY: Immunohistochemical localization of a plasma protein (glycoprotein 60) which inhibits complement-mediated prevention of immune precipitation 303

W. HSUEH, X. SUN, L. N. RIOJA & F. GONZALEZ-CRUSSI: The role of the complement system in shock and tissue injury induced by tumour necrosis factor and endotoxin 309

C. A. W. BATE, J. TAVERNE, A. DAVÉ & J. H. L. PLAYFAIR: Malaria exoantigens induce T-independent antibody that blocks their ability to induce TNF 315

V. SAVIC, V. STEFANOVIC, N. ARDAILLOU & R. ARDAILLOU: Induction of ecto-5′-nucleotidase of rat cultured mesangial cells by interleukin-1β and tumour necrosis factor-α 321

W. SLUITER, P. H. NIBBERING, R. VAN FURTH, A. ANNEMA, I. ELZENGA-CLAASEN, L. W. M. VAN HEMSBERGEN-OOMENS & A. VAN DER VOORT VAN DER KLEIJ-VAN ANDEL: Increased activity of FIM in serum of mice during a *Mycobacterium bovis* (BCG) infection 327

S. Hauschildt, E. Bassenge, W. Bessler, R. Busse & A. Mülsch: L-arginine-dependent nitric oxide formation and nitrite release in bone marrow-derived macrophages stimulated with bacterial lipopeptide and lipopolysaccharide 332

J. Laurence, A. Saunders, E. Early & J. E. Salmon: Human immunodeficiency virus infection of monocytes: relationship to Fc-gamma receptors and antibody-dependent viral enhancement 338

C. Moog, Y. H. Ji, C. Waltzinger, B. Luu & P. Bischoff: Studies on the immunological properties of oxysterols: *in vivo* actions of 7,25-dihydroxycholesterol upon murine peritoneal cells 344

C. S. Scott, S. J. Richards & B. E. Roberts: Patterns of membrane TcR$\alpha\beta$ and TcR$\gamma\delta$ chain expression by normal blood $CD4^+CD8^-$, $CD4^-CD8^+$, $CD4^-CD8^{dim+}$ and $CD4^-CD8^-$ lymphocytes 351

R. De Jong, M. Brouwer, V. I. Rebel, G. A. Van Seventer, R. Miedema & R. A. W. Van Lier: Generation of alloreactive cytolytic T lymphocytes by immobilized anti-CD3 monoclonal antibodies. Analysis of requirements for human cytolytic T-lymphocyte differentiation 357

D. C. Rayner & L. D. Petrycky: Class II-restricted bifunctional T-cell hybridomas reactive to self- and foreign myelin basic protein 365

M. B. Zaitseva & B. D. Brondz: Mechanism of MHC class II restriction in the interaction between specific suppressor and responder T cells in a proliferative response: Ia interaction with a putative anti-self receptor, expressed on pre-activated responder cells 372

P. W. Tebbey & T. M. Buttke: Molecular basis for the immunosuppressive action of stearic acid on T cells 379

J. Y. Kimura, N. Ohta, A. Ishii, T. Nagano & M. Ushi: Functional characterization of lymphocyte response to fractionated house dust mite antigens (*Dermatophagoides pteronyssinus*) in atopic and non-atopic individuals 385

M. Aleksandersen, W. R. Hein, T. Landsverk & S. McClure: Distribution of lymphocyte subsets in the large intestinal lymphoid follicles of lambs 391

R. G. P. Pugh-Humphreys, C. S. K. Ross & A. W. Thomson: The influence of FK-506 on the thymus: an immunophenotypic and structural analysis 398

Y. H. Zhang, T. Yoshida, K. Isobe, S. M. J. Rahman, F. Nagase, L. Ding & I. Nakashima: Modulation by glycyrrhizin of the cell-surface expression of H-2 class I antigens on murine tumour cell lines and normal cell populations 405

Brief communications

C. Cheers, Y. F. Zhan & P. J. Egan: *In vivo* IL-1 potentiates both specific and non-specific arms of immune response to infection 411

A. Ishizaka, K. Joh, R. Shibata, Y. Wagatsuma, M. Nakanishi, K. Tomizawa, K. Kojima, E. Kandil, Y. Sakiyama & S. Matsumoto: Regulation of IgE and IgG4 synthesis in patients with hyper IgE syndrome 414

Book reviews 417

Vol. 70 No. 4 August 1990

Important Notice To Contributors 421

H. Yamamoto, P. Blaas, A. Nicholson-Weller & G. M. Hänsch: Homologous species restriction of the complement-mediated killing of nucleated cells 422

D. Mason & F. Powrie: Memory $CD4^+$ T cells in man form two distinct subpopulations, defined by their expression of isoforms of the leucocyte common antigen, CD45 427

F. Lozano, J. Alberola-Ila, L. Places, T. Gallart & J. Vives: Protein kinase C-dependent up-regulation of CD5 surface expression on normal and lymphoblastoid T cells 434

J. P. Tite: Differential requirement for protein synthesis in cytolysis mediated by class I and class II MHC-restricted cytotoxic T cells 440

B. L. Ferry, P. M. Starkey, I. L. Sargent, G. M. O. Watt, M. Jackson & C. W. G. Redman: Cell populations in the human early pregnancy decidua: natural killer activity and response to interleukin-2 of CD56-positive large granular lymphocytes 446

R. K. Jordan, C. J. Chapman, S. M. McLachlan, D. Milne, B. E. Loveland & J. H. Robinson: IgG antibody and delayed-type hypersensitivity responses in nude mice grafted with thymic epithelium 453

M. Köller & W. König: Arachidonic acid metabolism in heat-shock treated human leucocytes 458

A. A. Maghazachi: Differential effects of various cytokines on the generation of rat LAK cells from their purified precursors 465

B. Sredni, Y. Kalechman, M. Albeck, O. Gross, D. Aurbach, P. Sharon, S. N. Sehgal, M. J. Gurwith & H. Michlin: Cytokine secretion effected by synergism of the immunomodulator AS101 and the protein kinase C inducer bryostatin 473

K. E. Stedman, L. B. Justement & P. A. Campbell: Endogenously secreted IL-4 is required for mouse thymocytes to become cytotoxic. Human, but not mouse, IL-2 induces a functionally immature thymic subset to secrete IL-4 and become CTL 478

N. E. Kay, J. E. Morley & J. I. Allen: Interaction between endogenous opioids and IL-2 on PHA-stimulated human lymphocytes 485

R. K. Puri, D. S. Finbloom, P. Leland, H. Mostowski & J. P. Siegel: Expression of high-affinity IL-4 receptors on murine tumour infiltrating lymphocytes and their up-regulation by IL-2 492

W. A. Phillips, M. Croatto & J. A. Hamilton: Priming the macrophage respiratory burst with IL-4: enhancement with TNF-α but inhibition by IFN-γ 498

D. R. Fitzpatrick, M. Snider, L. McDougall, T. Beskorwayne, L. A. Babiuk, T. J. Zamb & H. Bielefeldt Ohmann: Molecular mimicry: a herpes virus glycoprotein antigenically related to a cell-surface glycoprotein expressed by macrophages, polymorphonuclear leucocytes, and platelets 504

Y. Shimokawa, M. Takeya, Y. Miyauchi & K. Takahashi: A monoclonal antibody, RbM2, specific for a

lysosomal membrane antigen of rabbit monocyte/macrophages 513

L. KUNTZ, D. VELIN, F. PFLUMIO & F. LOOR: Adoptive transfer of viable motheaten humoral autoimmunity in cyclophosphamide-immunodepressed beige recipient mice 520

I. A. M. MACPHEE, M. J. DAY & D. W. MASON: The role of serum factors in the suppression of experimental allergic encephalomyelitis: evidence for immunoregulation by antibody to the encephalitogenic peptide 527

M. F. HEYWORTH & J. PAPPO: Recognition of a 30,000 MW antigen of *Giardia muris* trophozoites by intestinal IgA from *Giardia*-infected mice 535

J. P. TITE, X.-M. GAO, C. M. HUGHES-JENKINS, M. LIPSCOMBE, D. O'CALLAGHAN, G. DOUGAN & F. Y. LIEW: Anti-viral immunity induced by recombinant nucleoprotein of Influenza A virus. III. Delivery of recombinant nucleoprotein to the immune system using attenuated *Salmonella typhimurium* as a live carrier 540

Brief communication

P. AUBERGER, S. SONTHONNAX, J.-F. PEYRON, B. MARI & M. FEHLMANN: A chymotryptic-type serine protease is required for IL-2 production by Jurkat T cells 547

Book reviews 551

Announcement 553

Author and subject indexes for Volume 70 554